


~~Handwritten scribble~~



PHOTOGRAPH OF THE ZIPPER AREA OF THE ORANGE BAG


4

W




D

Handwritten scribble or signature in the top right corner.




Handwritten scribble or signature in the middle right area.

2



2

9



FD

CLEARANCE

NOTICE


THIS BUILDING HAS BEEN CLEARED FOR
WITH A PERMITS DATE

I HAVE PERSONALLY CHECKED THE
ENTIRE STRUCTURE AND NOW FIND IT
TO BE THOROUGHLY VENTILATED,
CLEARED OF ALL FIBRIFORM AND SAFE
FOR OCCUPANCY.

THIS NOTICE IS POSTED ON ALL ENTRANCES
OF THE BUILDING TO NOTIFY THE
OWNER AND THE PUBLIC OF THE
DATE AND TIME THAT THE BUILDING IS
CLEARED AND READY FOR OCCUPANCY
OR REOCCUPANCY.

DEAN, BUD EDWARDS, INC.
2800 S.W. 2nd Court
11 Lakewood, Fort Lauderdale
33309-3417

Q



pronotum

R

Answers for pictures A-L

- A. Sand or water snakes – Can be used on the roof because of wind
- B. Clearing with a SCBA – self contained breathing apparatus. Sulfuryl fluoride is cleared at 1 ppm, must have 2 working on site with 2 trained people when clearing
- C. TIF halogen detector – used to detect leaks of sulfuryl fluoride, makes an audible beep
- D. Fumiscope – used to monitor the concentration of gas in a structure being fumigated
- E. Interscan – used to clear structures fumigated with sulfuryl fluoride. Must have 2 working at the Service Center. Good up to 50 ppm. Do not go over 50 ppm or can be damaged. Must be calibrated. Do not get wet.
- F. Food bagged in Nylofume bags – put food in the bag, tie the bag, put that bag in another bag and tie that bag. Do not have to bag can and jars in their original containers that are factory sealed
- G. Vikane cylinders – store and transport in and upright position with cap and bonnet in place. Vikane cylinders contain liquid and a little gas
- H. Warning sign
- I. Clearance Notice
- J. Drywood termite soldier
- K. Anobiid beetle
- L. Aeration – 1 hour active aeration with fans, then either 6-8 hours of passive aeration (see label)