



PROPRIETARY INFORMATION

**SERVICE PROTOCOL
BUILDING PERIMETER
(Includes 10 foot band contiguous to structure)**

TASK / ACTION	MATERIALS / EQUIPMENT	PEST TARGETS
<p>1 If not responsible for the property perimeter upon arrival, check in with contact person and review log book.</p>	<p>Service Report and any notes from previous services.</p>	<p>N/A</p>
<p>2 Manually remove (sweep) webs, wasp nests and debris from around first floor window sills, door jambs, and wall penetrations for any small (one-fourth inch or less) cracks or holes. Seal to closure.</p>	<p>Clear siliconized acrylic latex caulk Caulk Gun Webster Broom</p>	<p>Crawling Pests Flying Pests Especially ants, roaches, spiders and millipedes To discourage those pests (insects, spiders, ants, etc.) that feed on dead or dying insects.</p>
<p>3 On building perimeter, seal to closure any larger (one-fourth to two inch) holes or cracks.</p>	<p>One-fourth inch mesh hardware cloth, expandable foam, Stuff-Fit copper mesh fabric, cracks. Tin Snips, Caulk Gun</p>	<p>Same as above plus birds and rodents</p>
<p>4 Provide perimeter barrier service as described in the current month Material Plan. Liquid materials are typically applied one foot up and away from the soil foundation interface. Granules two feet from the foundation interface.</p>	<p>Use products as directed in the annual material rotation plan.</p>	<p>Crawling Pests Especially ants, roaches, spiders and millipedes</p>



PROPRIETARY INFORMATION

**SERVICE PROTOCOL
BUILDING PERIMETER
(Includes 10 foot band contiguous to structure)**

TASK / ACTION	MATERIALS / EQUIPMENT	PEST TARGETS
<p>5 Inspect ornamental plantings and mulch beds (if present) for pest sources and avenues of entry. Provide minor pruning to remove branches touching structure.</p>	<p>Hand pruning shears Note: NOT responsible for major pruning, plant removal, etc. That function is the responsibility of customer or it's representative.</p>	<p>Misc. crawling pests, especially ants</p>
<p>6 Apply baits as indicated in the current month Material Rotation. Apply as a spot treatment or scatter bait application as pest pressure demands. Bait stations or platforms may provide increased longevity of baits.</p>	<p>Baits including but not limited to: MaxForce Granules, Advion IG, Advion Fire Ant, Advance Ant Bait, Advance Carpenter Ant Bait, species specific baits Centro Bulb duster</p>	<p>Same as above NOTE: Carpenter Ant baiting needs to occur at dusk or after when workers are actively foraging</p>
<p>7 Observance through inspection any ant colonies requiring immediate treatment. Provide directed application to eliminate these colonies when discovered.(along main sidewalks, pool decks)</p>	<p>Use products as directed in the annual material rotation plan. Centro Bulb Duster White Crusader Duster Solo Backpack Sprayer</p>	<p>Misc. crawling pests Specifically Fire Ants</p>
<p>8 Inspect dumpster area(s) for pests. if within 50 feet of structure place and secure Protecta rodent bait station(s). If applicable, place fly bait receptacles adjacent to dumpster(s).</p>	<p>Bell Evo or EZ Klean Rodent Bait Stations Liquid Nails, Generation/ConTrac Rodenticide Victor Fly Magnet plus bait packet Stimukill Fly Bait & Bait Receptacle</p>	<p>Rodents Flying Insects</p>



PROPRIETARY INFORMATION

SERVICE PROTOCOL
BUILDING PERIMETER
 (Includes 10 foot band contiguous to structure)

TASK / ACTION	MATERIALS / EQUIPMENT	PEST TARGETS
<p style="text-align: center;">9</p> <p>Inspect rooftop where permissible and feasible quarterly to observe presence of conditions, avenues or sources of pest activity. Caulk and seal small cracks and holes. Report large holes and moisture issues to the customer.</p>	<p>Siliconized acrylic latex caulk, Caulk Gun Use products as directed in the annual material rotation plan. Centro Bulb Duster White Crusader Duster Solo Backpack Sprayer</p>	<p>Crawling pests especially roaches ants rodents</p>

© Copyright, Massey Services, Inc. All Rights Reserved, Orlando, FL 2019

perimeter Service Protocol