

Mega-Colony Ant Treatment Protocol for One-noded Ants

- **Customers must be placed on monthly service cycle**
- **Do not provide one time treatments**

Indoors

- Vacuum dead ants and debris
- Dust wall voids, voids around door and windows
- Spot treatment indoors will not be effective if trails are not followed outdoors and nests are treated

Exterior Treatment

- Clean up debris around the yard
- Reduce the amount of leaf litter and mulch
- Dust, then seal and caulk gaps where ants can enter
- Ensure all doors and window screens on the active side of the structure are tight fitting
- Apply a repellent residual surrounding the foundation, bases of all trees (Temprid or Polyzone) and on all trailing ants
- In the spring, have liquid bait available where colonies reside away from the structure
- Apply 4 oz. of granular baits such as Extinguish Plus or Maxforce Complete bait inside a Protecta Rodent Bait Station near the structure but not against the foundation
- Determine bait preference on treatment day and broadcast granular baits
- In summer during heaviest activity, place out Antopia stations with Maxforce Quantum (or Intice Thiquid):

Maxforce Quantum diluted 1 part to 9 parts water:

109 oz. water + 27 oz. table sugar....shake...Add 3 bottles of Quantum....shake

Fill bait stations with the above mix
(Lasts 2 weeks)

Place Antopia Stations (Item #807653) every 10-20 feet across outer property edge early in the spring when the first ant activity starts:

